

BC1206

ALL-IN-ONE PHOSPHATE/POLYMER INTERNAL TREATMENT

DESCRIPTION

BC1206 is an All-in-One Phosphate/Polymer internal treatment product. BC1206 includes polymer and phosphate for deposit control and sulfite for removing oxygen from the boiler water. BC1206 provides a low concentration of phosphate and a high concentration of a carboxylated organic polymer designed for this application. BC1206 is typically used in systems with softened make-up water. If required, neutralizing amine may also be fed in combination with this product to maintain condensate quality.

FEATURES AND BENEFITS

- Improves boiler reliability and cleanliness
- Single drum product for ease of use
- High polymer to phosphate ratio minimizes deposition on heat transfer surfaces
- Contains an effective polymer for deposit control
- Polymer is stable over a wide range of temperatures and pressures

PRODUCT FEED AND CONTROL

BC1206 is fed continuously to the system being treated. The product may either be fed neat directly from the shipping container or mixed in a chemical feed tank using good quality condensate, softened water, or feedwater. Tanks, pumps, piping and valves should be made of stainless steel, polyethylene, or PVC.

Control of BC1206 is by a filtered phosphate test. The technical specialist servicing the facility will provide specific treatment control levels based on system conditions.

PHYSICAL PROPERTIES

Physical properties of BC1206 are shown on the Material Safety Data Sheet (MSDS), a copy of which is available upon request.

STORAGE AND HANDLING

Keep in a tightly closed container. Store indoors. Recommended storage temperature is 50° F - 105° F (10° C - 40° C). Do not reuse container. Dispose of empty container in compliance with federal, state/provincial and local laws and regulations.

ENVIRONMENTAL, HEALTH, AND SAFETY

For detailed information, consult the material safety data sheet (MSDS).

PACKAGING

BC1206 is available in a wide variety of customized containers and delivery methods.